BERPU®

Cannula



- Ultra sharp tips -for smooth penetration with minimal trauma
- Fully automatic grinding production line -ensures high consistency and precision of every cannula
- High quality austenitic stainless steel as raw material for production
- RW, TW & ETW are all available



- Different specifications can be customized
- Special cannulas for customizations

STERILE EO

CE 0123

CANNULA



Description:

- Adhering to international advanced process standards
- Using imported high-quality austenitic stainless steel raw materials
- Fully automatic production line ensures production continuity, stability, and high precision
- Various cannula tip available for various customer requirements

Cannula(Specification) Unit:mm

• Other sizes can be customized

SIZE	OD	L1 TOTAL LENGTH	MM I.D.
0.20 (33G)	0.213±0.005	15.5±0.5	0.105
0.23 (32G)	0.237±0.005	15±0.5	0.105
0.25 (31G)	0.262±0.005	17.5±0.5	0.125
0.31 (30G)	0.315±0.005	20±0.5	0.165
0.33 (29G)	0.335±0.005	19.5±0.5	0.133
0.4 (27G)	0.415±0.005	23±0.5	0.184
0.45 (26G)	0.455±0.005	30±0.5	0.232
0.5 (25G)	0.51±0.005	27±0.5	0.232
0.55 (24G)	0.56±0.005	36.5±0.5	0.280
0.6 (23G)	0.63±0.005	38.5±0.5	0.370
0.7 (22G)	0.71±0.005	44.5±0.5	0.440
0.8 (21G)	0.815±0.005	38.5±0.5	0.547
0.9 (20G)	0.905±0.005	44.5±0.5	0.635
1.1 (19G)	1.055±0.005	38.5±0.5	0.750
1.2 (18G)	1.275±0.005	44.5±0.5	0.910
1.5 (17G)	1.50±0.005	38.5±0.5	1.156
1.6 (16G)	1.627±0.005	44.5±0.5	1.283
1.8 (15G)	1.80±0.005	44.5±0.5	1.460
2.1 (14G)	2.02±0.005	44.5±0.5	1.600
3.0 (11G)	3.00±0.005	44.5±0.5	2.464



Technical Data Sheet



Cannula

Gauge	11G - 34G, 15.5 - 44.5mm
Material	Medical grade stainless steel SUS304
Surface treatment	Electro-polished
Intended use	Part of all types of needle
Shelf life	5 years
Standard	ISO9626:2016
Certification	CE, ISO13485, FDA

Packaging:

Packaging information for Cannulas

CASE MATERIAL	DIMENSION(mm)
Plywood case	350x245x270

BERPU®

Tel: 86 577 85501388
E-mail: sales@berpu.com
Website: www.berpu.com
Address: NO.14 Xingji Road，Yongxing Street，Longwan District，
325000 Wenzhou Zhejiang Province，P.R. China